VOLUME 2, SECTION 2.4:

NETWORX DISASTER RECOVERY

(3)Enterprise℠
Networx Disaster Recovery Plan

Level 3 Communications, LLC

Version 1

October 24, 2005

2.4   DISASTER RECOVERY [C.3.3.3, F. 2(38), M3.9]

Introduction: The Level 3 Network, ████████████████████ ████████████████████████████ was built with business continuity in mind, using physical plant components and redundant systems to support continuous, uninterrupted services for our customers. Hardware, however, is only part of the solution. Advance planning to develop and rehearse processes that capitalize on all of our assets and enable us to recover our services quickly remains the key to the Level 3 success in disaster recovery.

Rev. 3-5-2007
TQC-JTB-05-0002

(3)Enterprise^{SM}
Disaster Recovery Plan

Level 3 Communications, LLC

Version 2

March 5, 2007

2.4.1   Disaster Recovery Plan

Report Title: Disaster Recovery Plan

Contractor: Level 3 Communications, LLC

Version: 2.0

Date: 03/05/2007

2.4.1.1   DISASTER RECOVERY ORGANIZATION

2.4.1.2 DISASTER RECOVERY COMMUNICATION

[REDACTED]

2.4.1.3 DISASTER RECOVERY STRATEGY

[REDACTED]

████████████████████████████

██

██

███

██

██

██

██

██

███████████

██

██

███

██

██

██

███

███

███

███

██

██

██

██

███

████████

██

███

███

██

██

███

████████████████████████████████

███

██

███

██

██

██████████████████████████████████

██

███

██

███

██

███

███

███

████████████████████████████████

███

██

███

██

████████████████	██████████████████	███████████████████
██ ████	██	
██ ████	██ ████	
██ ████	██ ████	
██ ████	██ ████	

████████████████████████████████████
████████████████

███

███

███

███

███

███

[image content redacted]

2.4.1.4 DISASTER RECOVERY CAPABILITY

2.4.1.4.1 Concept of Operations: Disaster Triggers, Response Condition Levels, and ERT Activation

█████████████████████

   ██

██

███

███

██

██

███

██

██

███

   ██

██

██

███

███

██

██

█████████████████████████████

   ███

██

███

██

██

███

   ██

███

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

████████████████████

████████████████████

███████████████████████████

███

██████████

██████████████████████████████████████

████████████████████████████████████

████████████████████████████████████

███

████████████████████

███

████████

██

████████████

███████████████████████████████████

███████████████████████████████

████████████████████████

██████████████

██████████████████████████████████

██████████████████████████████████

██████████████████████

███████████████████████

███████████

███████████

███████████

███████████████████████

██████████████████████████████████████

██

  ██████

███

    ██████████████████████████████

██

    █████████████████████████████████████

███

    ███████████████

███

    ████████

██

    █████████████████████

███████████████████████████████████████

██████████████

████████████████████

██████████████████████████

██████████████████████████

████████████████████████

█████████████████████████████████████

████████████████████████

████████████████

████████████████████████

██████████

█████████████████████

██████████████████

█████████████████

██

██

██

██

███

██

██

██

████████████████████████████████████

██

██

████████████

███

██

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]